

## **Product Datasheet**

Goat IgG (H&L) antibody (FITC) (orb347029)



## www.biorbyt.com

Descriptionnts. Goat IgG (H&L) antibody (FITC)

Species/Host Donkey

Reactivity Goat

FITC Conjugation

Tested FC. FLISA. IF. WB

**Applications** 

Goat IgG whole molecule **Immunogen** 

0.01% (w/v) Sodium Azide **Preservatives** 

Form/Appearance Lyophilized

Concentration 2.0 mg/mL

Store vial at 4° C prior to restoration. For Storage

> extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Note For research use only

**Application notes** Anti-Goat IgG Fluorescein Antibody has

> been tested by western blot. This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial

platforms.

Isotype IgG

Clonality Polyclonal

**Purity** This product was prepared from

> monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted

reactivities. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Donkey Serum, Goat IgG and Goat

Serum.

FLISA: 1:10,000 - 1:50,000, FC: 1:500 -**Dilution Range** 

Biorbyt LLC.