

Product Datasheet

Fluorescein Conjugated Mouse IgG (H&L) (orb347422)

Description Fluorescein Conjugated Mouse IgG (H&L) Antibody

Species/Host Goat

Reactivity Mouse

Conjugation FITC

Tested Applications DOT, FC, FLISA, IF, WB

Immunogen Mouse IgG whole molecule

Preservatives 0.1% (w/v) Sodium Azide

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

Storage Store vial at 4° C prior to restoration. For extended storage aliquot contents and

freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to

immediate use.

Note For research use only

Application notes Anti-Mouse IgG FITC Conjugated Antibody has been tested by dot blot and

western blot and is designed for immunofluorescence microscopy, flow cytometry, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor

imaging, utilizing various commercial platforms.

Isotype lgG

Clonality Polyclonal

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com Phone: +44 (0) 1223 859-353 | Fax: +1 (415) 651-8558 **Biorbyt LLC.**

68 TW Alexander Drive, Durham, NC, 27713, United States

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u>
Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558






Purity


Goat Anti-Mouse IgG [H&L] FITC Conjugated Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Mouse IgG and Mouse Serum.

Dilution Range FLISA: 1:10,000 - 1:50,000, FC: 1:500 - 1:2,500, IF: 1:1,000 - 1:5,000

Expiration Date 12 months from date of receipt.



Dot Blot Results of Goat Anti-Mouse IgG Fluorescein Conjugated Antibody. Mouse IgG (p/n orb2652749) sample loaded 1-100 ng, 2- 33.33 ng, 3- 11.11 ng, 4- 3.70 ng, 5- 1.23 ng. Goat Anti-Mouse IgG Fluorescein Conjugated Antibody at 1.0 μ g/ml for 60 mins at RT. Blocking Buffer for Fluorescent Western Blotting (p/n orb348637) for 60 mins at RT. Chemi filter.



Western Blot of Goat anti-Mouse IgG Fluorescein Conjugated Secondary Antibody. Lane 1: Mouse IgG. Load: 50 ng per lane. Primary antibody: None. Secondary antibody: Fluorescein goat secondary antibody at 1:1000 for 60 min at RT. Block: orb348637 for 30 min at RT. Predicted/Observed size: 25 & 55 kDa, 25 & 55 kDa for Mouse IgG. Other band(s): None.