

Product Datasheet

Rabbit IgG F(c) antibody (orb347661)



Descriptionnts.

www.biorbyt.com

Rabbit IgG F(c) antibody

Species/Host

Goat

Reactivity

Rabbit

Conjugation

Unconjugated

Tested

DOT, ELISA, IHC, WB

Applications

Immunogen

Anti-Rabbit IgG was produced by repeated immunization

with rabbit IgG f(c) fragment in goat

Preservatives

0.01% (w/v) Sodium Azide

Form/Appearance

Liquid (sterile filtered)

Concentration

2.26 mg/mL

Storage

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid

cycles of freezing and thawing.

Note

For research use only

Application notes

Antibody Anti-Rabbit IgG F(c) has been tested by ELISA, dot blot, and western blot and is suitable for immunohistochemistry as well as other peroxidaseantibody based enzymatic assays requiring lot-to-lot

consistency.

Isotype

IgG

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Clonality

Polyclonal

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum. No reaction was observed against Rabbit IgG F(ab')2.

Dilution Range

ELISA: 1:20,000 - 1:100,000, IHC: 1:1,000 - 1:5,000, WB:

1:2,000 - 1:10,000


Expiration Date

12 months from date of receipt.



KDa M 1 2 3 4 5

Western Blot of Anti-Rabbit IgG F(c) (GO...



Western Blot of Goat Anti-Rabbit F(c) se...

Biorbyt LLC.