

## **Product Datasheet**

Rabbit IgG F(c) antibody (FITC) (orb347668)



Descriptionnts.

## www.biorbyt.com

kDa M 1 2 3 4 5

Western Blot of Anti-Rabbit IgG F(c) (GO...

Species/Host Goat

Reactivity Rabbit

Conjugation FITC

**Tested** DOT, FC, FLISA, IF

**Applications** 

Immunogen Rabbit IgG F(c) fragment

**Preservatives** 0.01% (w/v) Sodium Azide

Form/Appearance Lyophilized

**Concentration** 2.0 mg/mL

**Storage** Store vial at 4° C prior to restoration. For extended

Rabbit IgG F(c) antibody (FITC)

storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to

immediate use.

**Note** For research use only

**Application notes** Anti-Rabbit IgG F(c) Fluorescein has been tested by

dot blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

**Isotype** lgG

**Clonality** Polyclonal

**Purity** This product was prepared from monospecific

antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid

phase adsorption(s) to remove any unwanted

reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum. No reaction was observed against Rabbit IgG

F(ab).

**Dilution Range** FLISA: 1:10,000 - 1:50,000, FC: 1:500 - 1:2,500, IF:

1:1,000 - 1:5,000

**Expiration Date** 12 months from date of receipt.