

## **Product Datasheet**

RABBIT IgG (H&L) antibody (Peroxidase) (orb347677)



## www.biorbyt.com

**Description**nts. RABBIT IgG (H&L) antibody (Peroxidase)

Species/Host Goat

Reactivity Rabbit

Conjugation HRP

Tested ELISA, IHC, WB

**Applications** 

Immunogen Rabbit IgG whole molecule

**Preservatives** 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium

Azide!

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

**Storage** Store vial at 4° C prior to restoration. For extended

storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid.

Dilute only prior to immediate use.

**Note** For research use only

**Application notes** Goat Anti-Rabbit IgG peroxidase conjugated antibody

has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidaseantibody based enzymatic assays requiring lot-to-lot

consistency.

**Isotype** IgG


**Clonality** Polyclonal

Purity RABBIT IgG (H&L) Antibody Peroxidase Conjugated


Pre-Adsorbed was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Rabbit IgG and Rabbit Serum. No reaction was observed against Human Serum Proteins. Specificity was confirmed by ELISA at less than 1% cross-reactivity against human

immunoglobulins.

**Dilution Range** ELISA: 1:10,000-1:100,000, IHC: 1:500-1:5,000, WB:



Western Blot of Goat anti-Rabbit IgG Per...



Western Blot of Unconjugated Anti-Rabbit...