

## **Product Datasheet**

Rat IgG F(c) antibody (Peroxidase) (orb347859)



## www.biorbyt.com

Descriptionnts. Rat IgG F(c) antibody (Peroxidase)

Species/Host Rabbit

Reactivity Rat

Conjugation HRP

ELISA, IHC, WB **Tested** 

**Applications** 

**Immunogen** Rat IgG F(c) fragment

0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium **Preservatives** 

Azide!

Lyophilized Form/Appearance

Concentration 1.5 mg/mL

Storage Store vial at 4° C prior to restoration. For extended

> storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute

only prior to immediate use.

Note For research use only

**Application notes** Anti-Rat IgG F(c) Peroxidase conjugated has been

> tested by ELISA and is assayed against 1.0 ug of Rat IgG in a standard capture ELISA using ABTS (2,2'azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:5,000 of the reconstitution concentration is suggested for

this product.

Isotype IgG

Clonality Polyclonal

**Purity** This product was prepared from monospecific

> antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted

reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Rat IgG, Rat IgG F(c) and Rat Serum. No reaction was observed against Rat IgG F(ab).

ELISA: 1:10,000 - 1:50,000, IHC: 1:500 - 1:2,500, WB: **Dilution Range** 

1:1,000 - 1:10,000

**Expiration Date** 12 months from date of receipt.

KDa M 1 2 3 4 5

Western Blot of Anti-Rat IgG F(c) (RABBI...

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North