

Product Datasheet

Sheep IgG (H&L) Antibody Fluorescein Conjugated (orb347958)

Description Sheep IgG (H&L) antibody (FITC)

Species/Host Donkey

Reactivity Sheep

Conjugation FITC

Tested Applications DOT, FC, FLISA, IF

Immunogen Sheep IgG whole molecule

Preservatives 0.01% (w/v) Sodium Azide

Form/Appearance Lyophilized

Concentration 2.0 mg/mL

Storage Store vial at 4° C prior to restoration. For extended storage aliquot contents and

freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to

immediate use.

Note For research use only

Application notes Anti-Sheep IgG (H&L) fluorescein Antibody has been tested by dot blot and is

designed for immunofluorescence microscopy, fluorescence based plate assays

(FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial

platforms.

Isotype IgG

Clonality Polyclonal

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com Phone: +44 (0) 1223 859-353 | Fax: +1 (415) 651-8558 **Biorbyt LLC.**

68 TW Alexander Drive, Durham, NC, 27713, United States

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u> Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>



Biorbyt.com


Purity This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Sheep IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-

Fluorescein, anti-Donkey Serum, Sheep IgG and Sheep Serum.

Dilution Range FLISA: 1:10,000 - 1:50,000, FC: 1:500 - 1:2,500, IF: 1:1,000 - 1:5,000

Expiration Date 12 months from date of receipt.



Dot Blot of Sheep IgG Antibody Fluorescein Conjugated.

Antigen: Sheep IgG Load: Lane 1 - 50 ng Lane 2 - 16.67 ng Lane 3 - 5.56 ng Lane 4 - 1.85 ng Lane 5 - 0.62 ng. Primary antibody: none. Secondary antibody: Sheep IgG Antibody Fluorescein Conjugated 1:1000 for 60 min at RT. Block: orb348637 for 1 HR at RT.