

Product Datasheet

Armenian Hamster IgG (H&L) antibody (FITC) (orb348063)



www.biorbyt.com

Descriptionnts. Armenian Hamster IgG (H&L) antibody (FITC)

Species/Host Goat

Reactivity Hamster

Conjugation FITC

Tested DOT, FC, FLISA, IF, WB

Applications

Immunogen Armenian Hamster IgG whole molecule

Preservatives 0.01% (w/v) Sodium Azide

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

Storage Store vial at 4° C prior to restoration. For extended

storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid.

Dilute only prior to immediate use.

Note For research use only

Application notes FITC Anti-Hamster IgG Secondary Antibody has been

tested by dot blot and western blot and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing

various commercial platforms.

Isotype IgG

Clonality Polyclonal

Purity This product was prepared from monospecific

antiserum by immunoaffinity chromatography using Armenian Hamster IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Armenian Hamster IgG and Armenian

Hamster Serum. Minimal reactivity will occur against

Golden Syrian Hamster IgG.

Dilution Range FLISA: 1:10,000 - 1:50,000, FC: 1:500 - 1:2,500, IF:

1:1,000 - 1:5,000

Expiration Date 12 months from date of receipt.

Western Blot of Fluorescein conjugated G...

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North