

## **Product Datasheet**

F(ab')2 Rat IgG (H&L) antibody (Biotin) (orb348348)



## www.biorbyt.com

**Description**nts. F(ab')2 Rat IgG (H&L) antibody (Biotin)

Species/Host Goat

Reactivity Rat

**Conjugation** Biotin

Tested
Applications

ed ELISA, IHC, WB

**Immunogen** Rat IgG whole molecule

**Preservatives** 0.01% (w/v) Sodium Azide

Form/Appearance Lyophilized

**Concentration** 1.0 mg/mL

**Storage** Store vial at 4° C prior to restoration. For

extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate

use.

**Note** For research use only

**Application notes** This product has been assayed against

1.0 µg of Rat IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:6,000 to 1:27,000 of the reconstitution concentration is suggested for this product. This product has been assayed against 1.0 µg of Rat IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:6,000 to 1:27,000 of the

reconstitution concentration is suggested for this product. This product has been assayed against 1.0 µg of Rat lgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin

#S000-03 and ABTS (2,2'-azino-bis-[3-

Biorbyt Ltd.

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North

Biorbyt LLC.

Carolina<br/>br>27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558