
Product Datasheet

beta2-Microglobulin Antibody (Biotin) (orb43655)

Description

Anti-Hu beta2-Microglobulin Biotin

Reactivity

Human

Conjugation

Biotin

Tested Applications

ELISA, FC, ICC, IHC-P, IP, WB

Immunogen

Purified human beta2-microglobulin

Target

beta2-Microglobulin

Preservatives

Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Concentration

1 mg/ml

Storage

Store at 2-8°C. Do not freeze.

Note

For research use only

Application notes

Flow cytometry: Recommended dilution: 1-2 µg/ml; positive control: peripheral blood lymphocytes, negative control: DAUDI human Burkitt lymphoma cell line, erythrocytes. Western blotting: Recommended dilution: 2 µg/ml; non-reducing conditions.

Isotype

Mouse IgG2a

Clonality

Monoclonal

Purity


Purified antibody is conjugated with biotin LC-NHS ester under optimum conditions and unconjugated antibody and free biotin are removed by size-exclusion chromatography.

Uniprot ID
[P61769](#)
Entrez
[567](#)
Dilution Range


Flow cytometry: Recommended dilution: 1-2 µg/ml; positive control: peripheral blood lymphocytes, negative control: DAUDI human Burkitt lymphoma cell line, erythrocytes. Western blotting: Recommended dilution: 2 µg/ml; non-reducing conditions.

Expiration Date

12 months from date of receipt.



Flow cytometry analysis (surface stainin...



Western blotting analysis of human β2-m...