

---

## Product Datasheet

### Tenascin antibody (orb44503)

**Description**

Mouse Monoclonal to Tenascin.

**Reactivity**

Human

**Conjugation**

Unconjugated

**Tested Applications**

IHC-P, IP, WB

**Immunogen**

Protein preparation from a homogenate of a human mammary tumour specimen.

**Target**

Tenascin C

**Preservatives**

Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide

**Concentration**

1 mg/ml

**Storage**

Store at 2-8°C. Do not freeze.

**Note**

For research use only

**Application notes**

Immunohistochemistry (paraffin sections): Immunohistochemical detection of tenascin is valuable for studies of tissue differentiation and tumour growth. The antibody T2H5 is excellent for staining of paraffin-embedded tissue sections. Heat-mediated antigen retrieval in citrate buffer. Western blotting: Recommended dilution: 1-2 µg/ml.

**Isotype**

Mouse IgG1

**Clonality**

Monoclonal

**Purity**

Purified by protein-A affinity chromatography.

**Uniprot ID**

**P24821**

**Entrez**


**3371**

**Dilution Range**


Immunohistochemistry (paraffin sections): Immunohistochemical detection of tenascin is valuable for studies of tissue differentiation and tumour growth. The antibody T2H5 is excellent for staining of paraffin-embedded tissue sections. Western blotting: Recommended dilution: 1-2 µg/ml.

**Expiration Date**


12 months from date of receipt.



Separation of U-87 MG cells stained usin...



Immunocytochemistry staining of tenascin...



Immunohistochemistry staining of tonsil ...