


---

## Product Datasheet

### Moesin Antibody (orb639524)

**Description**

Moesin (for membrane-organizing extension spike protein) is



Western blot testing of human Jurkat cel...

**Species/Host**

Mouse

**Reactivity**

Human

**Conjugation**

Unconjugated

**Tested Applications**

FACS, IF, IHC-P, WB

**Immunogen**

Recombinant full-length human protein was used as the immunogen for the Moesin antibody.

**Preservatives**

0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin (US sourced) and 0.05% sodium azide

**Storage**


Store the Moesin antibody at 2-8°C (with azide) or aliquot and store at -20°C or colder (without azide).

**Note**

For research use only

**Application notes**

Titration of the Moesin antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.



IHC testing of FFPE human melanoma with ...

**Formula**

0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide

**Isotype**

Mouse IgG1, kappa

**Clonality**

Monoclonal

**Purity**


Protein G affinity chromatography

**Uniprot ID**

**P26038**

**Hazard Information**

This Moesin antibody is available for research use only.



IHC testing of FFPE human placenta with ...

**Dilution Range**

Western blot: 1-2ug/ml, Flow Cytometry: 0.5-1ug/million cells in 0.1ml, Immunofluorescence: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Prediluted IHC only format: incubate for 30 min at RT (1)

**Expiration Date**

12 months from date of receipt.