

## **Product Datasheet**

## Recombinant rabbit anti vimentin (orb669777)

**Description** Rabbit monoclonal antibody to Vimentin

Species/Host Rabbit

**Reactivity** Human, Mouse

**Conjugation** Unconjugated

**Tested Applications** ICC, IHC, WB

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -

20°C in small aliquots to prevent freeze-thaw cycles.

**Note** For research use only

**Isotype** IgG

**Clonality** Monoclonal

Clone Number RV205

**Source** This product is a recombinant rabbit anti vimentin monoclonal antibody

produced in mammalian HEK293 cells. Clone RV205 is a reformatted antibody (species switch), produced by cloning the antibody sequence of the mouse anti vimentin hybridoma RV202, which was derived by fusion of SP2/0-Ag14 mouse myeloma cells with spleen cells from a BALB/c mouse immunized with a

cytoskeletal vimentin extract of calf lens.

Uniprot ID P08670

**Hazard Information** This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO,

not for use in diagnostic or therapeutic procedures involving humans or animals. This product contains sodium azide. To prevent formation of toxic vapors, do not mix with strong acidic solutions. To prevent formation of potentially explosive

metallic azides in metal plumbing, always wash into drain with copious


quantities of water. This datasheet is as accurate as reasonably achievable, but Biorbyt accepts no liability for any inaccuracies or omissions in this information.






## **Expiration Date**


12 months from date of receipt.



Indirect immunofluorescence staining of normal human dermal fibroblasts in tissue culture with orb669777 (diluted 1:100), showing the specific cytoskeletal pattern of vimentin intermediate filaments.



Indirect immunofluorescence staining of human kidney tissue section with orb669777 (diluted 1:1000), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, podocytes, and endothelial cells in blood vessels. As expected, no reactivity is seen in the epithelial cell compartment.




Indirect immunofluorescence staining of human kidney tissue section with orb669777 (diluted 1:1000), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, podocytes, and endothelial cells in blood vessels. As expected, no reactivity is seen in the epithelial cell compartment.


Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u> Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558








Immunostaining of human paraffin embedded tissue section of placenta with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, and endothelial cells in blood vessels. As expected, no reactivity is seen in the epithelial cell compartment.



Immunostaining of human paraffin embedded tissue section of testis with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, endothelial cells in blood vessels and Sertoli cells.




Immunostaining of human paraffin embedded tissue sections of human colon with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, and endothelial cells in blood vessels. As expected, no reactivity is seen in the epithelial cell compartment.


Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558








Immunostaining of human paraffin embedded tissue sections of human kidney with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue, and podocytes. As expected, no reactivity is seen in the epithelial cell compartment.



Immunostaining of human paraffin embedded tissue sections of human small intestine with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types, such as fibroblasts in the connective tissue. As expected, no reactivity is seen in the epithelial cell compartment.




Immunostaining of human paraffin embedded tissue sections of human spleen with orb669777 (diluted 1:200), showing the specific pattern of vimentin in the mesenchymal cell types.

Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>







Non-reduced and reduced SDS-PAGE of orb669777 showing its purity.

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u>
Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>