
Product Datasheet

CD79a Antibody (orb750092)

Description

A disulphide-linked heterodimer, consisting of mb-1 (or


Species/Host

Rabbit

Reactivity


Human, Mouse, Rat

Conjugation

Unconjugated

Tested Applications

FACS, IF, IHC-P, WB



IHC testing of FFPE human tonsil with re...

Immunogen

Amino acids 202-216 (GTYQDVGSLNIADVQ) were used as the immunogen for the recombinant CD79a antibody.

Preservatives


0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin (US sourced) and 0.05% sodium azide

Storage

Store the recombinant CD79a antibody at 2-8°C (with azide) or aliquot and store at -20°C or colder (without azide).

Note

For research use only



Western blot testing of human Raji cell ...

Application notes

Optimal dilution of the recombinant CD79a antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.

Formula

0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide

Isotype

Rabbit IgG, kappa

Clonality

Recombinant

Purity

Protein A affinity chromatography

Uniprot ID

P11912

Hazard Information


This recombinant CD79a antibody is available for research use only.

Dilution Range

Immunofluorescence: 1-2ug/ml,Flow cytometry: 1-2ug/million cells,Western blot: 1-2ug/ml,Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT

Expiration Date

12 months from date of receipt.



Flow cytometry testing of human Raji cel...