

Product Datasheet

Anti-CD56 [NCAM12.19] (orb758889)


Description	Rabbit monoclonal antibody to CD56
Species/Host	Mouse
Reactivity	Human
Conjugation	Unconjugated
Tested Applications	ELISA, IF, WB
Immunogen	This antibody was raised against human NCAM/CD56
Target	CD56
Preservatives	PBS with 0.02% Proclin 300.
Concentration	1 mg/ml
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Note	For research use only
Isotype	Mouse IgG
Clonality	Monoclonal
Clone Number	NCAM12.19
Purity	Purified
Uniprot ID	P13591
Expiration Date	12 months from date of receipt.

Biorbyt Ltd.


7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)



Binding curve of anti-CD56 antibody NCAM12.19 (orb758889) to recombinant human NCAM1 Fc-Fusion Protein. ELISA Plate coated with recombinant human NCAM1 Fc-Fusion Protein at a concentration of 5 µg/ml. A 3-fold serial dilution from 10000 ng/ml was performed using orb758889. For detection, a 1:4000 dilution of HRP-labelled anti-rabbit antibody was used.



Immunofluorescence staining of Kelly cells using anti-CD56 NCAM12.19. Immunofluorescence analysis of paraformaldehyde fixed Kelly cells stained with the chimeric mouse IgG version of NCAM12.19 (orb758888) at 10 µg/ml followed by Alexa Fluor® 488 secondary antibody (2 µg/ml), showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right, top-bottom orb669758, DAPI, merged channels and an isotype control. The isotype control was stained with anti-unknown antibody (orb256449) followed by Alexa Fluor® 488 secondary antibody.



Western Blot using anti-CD56 antibody NCAM12.19. human brain cerebellum(A) and cerebral cortex(B) tissue lysate (35 µg protein in RIPA buffer) was resolved on an SDS PAGE gel and blots probed with the chimeric mouse IgG version of NCAM12.19 (orb758888) at 0.03 µg/ml before detection using an anti-mouse secondary antibody. A primary incubation of 1h was used and protein was detected by chemiluminescence.

Biorbyt Ltd.

7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+44201223859353) | Fax: [+1 \(415\) 651-8558](tel:+441456518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+14159065211) | Fax: [+1 \(415\) 651-8558](tel:+14156518558)