

## **Product Datasheet**

**Histone deacetylase 3 HDAC3 Antibody (orb96835)** 



## www.biorbyt.com

**Description**nts. Histone deacetylase 3 HDAC3 Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

**Conjugation** Unconjugated

**Tested** FC, ICC, IF, IHC, IHC-Fr, WB

**Applications** 

**Immunogen** A synthetic peptide corresponding to a sequence

at the C-terminus of human HDAC3 (411-428aa NEFYDGDHDNDKESDVEI), identical to the related

rat and mouse sequences.

Form/Appearance Lyophilized

**Concentration** Adding 0.2 ml of distilled water will yield a

concentration of 500 µg/ml.

**Storage** Store at -20°C for one year from date of receipt.

After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.

**Note** For research use only

**Application notes** Tested Species: In-house tested species with

positive results. Predicted Species: Species predicted to be fit for the product based on sequence similarities. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for the staining of formalin/paraffin sections. Other applications have not been tested. Optimal dilutions should be determined by end users. . Add 0.2ml of distilled water will yield a concentration of

500ug/ml.


Isotype Rabbit IgG

**Clonality** Polyclonal

**MW** 48848 MW

Uniprot ID 015379

**Expiration Date** 12 months from date of receipt.



Immunohistochemical analysis of formalin...



Immunohistochemical analysis of formalin...



Confocal immunofluoroscence analysis of ...

Carolina < br > 27709. United States

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North